

SEEDS OF SUCCESS FIELD DATA FORM

Seed Collection Ref. Number:	NCBG-253	Collector Code:	NCBG		
Date(s) Collected (MM/DD/YY):	08/19/15	Collector Name(s):	JACOB DAVAR, MARGHERITA		
		Collection Number:	253		
		Alt. Collection Number:	JD-106		
COLLECTION DATA					
Family:	CUPRESSACEAE	No. of Plants Sampled (min. 50):			
Genus:	JUNIPERUS	No. of Plants Found (approx.):			
Species:	VIRGINIANA	Area Sampled (acres):			
Subspecies/Variety:		Seeds Collected From:	<input checked="" type="checkbox"/> Plants <input type="checkbox"/> Ground <input type="checkbox"/> Both Unknown		
Plant Habit:	<input checked="" type="checkbox"/> Tree <input type="checkbox"/> Shrub <input type="checkbox"/> Forb <input type="checkbox"/> Succulent <input type="checkbox"/> Grass/Grasslike	Plant Height (feet):	12		
Field Notes to assist in identification of pressed specimen (e.g. flower color):	BLUE, GLAUCOUS DRUPES				
Common Name(s) of Plants:	EASTERN RED CEDAR	NRCS PLANTS Code:	JUVI		
LOCATION DATA					
Ecoregion (Omernik Level III):	63 - MID ATL C.P.	State:	NC	County:	DALE
Subunit (BLM area, park name, etc.):	BUXTON WOODS COASTAL RESERVE	Area within Subunit (trail name, etc.):	WATER ASSOCIATION ROAD		
Land Owner:	NC DENR	Non-BLM Permission Filed:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N		
Location Details:	POPULATION THROUGHOUT ENTIRE RESERVE				
Source Used:	<input checked="" type="checkbox"/> GPS <input type="checkbox"/> Map <input type="checkbox"/> None	Accuracy:	<input checked="" type="checkbox"/> GPS <input type="checkbox"/> Within 5km <input type="checkbox"/> 6-20km <input type="checkbox"/> More than 20km		
GPS Datum:	NAD83 <input type="checkbox"/> NAD27 <input checked="" type="checkbox"/> WGS84 <input type="checkbox"/> Other:				
Latitude (dg/min/sec) (ex: 40° 34' 19.5" N):	35° 15' 25.1" N	Elevation:	5		
Longitude (dg/min/sec) (ex: 107° 36' 51.54" W):	75° 35' 09.9" W	Unit (ft or m):	FT		
HABITAT DATA					
Associated Species (Scientific Name):	TYPHA LATIFOLIA, ELEOCHARIS SP., BACCHARIS HALIMIFOLIA, VITIS SP., KOSTELETKYA VIRGINICA, PARTHENOBISSUS QUINQUEFOLIA				
Ecological Site Description, Habitat Type and/or National Vegetation Classification:	ROADSIDE MARSH				
Modifying Factors:	Mowed <input type="checkbox"/> Burned <input type="checkbox"/> Grazed <input type="checkbox"/> Flooded <input type="checkbox"/> Seeded <input type="checkbox"/> Trampled <input type="checkbox"/> Other: <input type="checkbox"/>				
Land Form:	MARSH	Slope (degrees):	0-2°		

11 TREES

Land Use:	CONSERVATION	Aspect:	N NE E SE S SW W NW
Geology:	PSAMMENTS		
Soil Texture:	Clay <u>Silt</u> Sand Other:	Soil Color:	10 YR. 6/2

HERBARIUM VOUCHERS

Number of pressed specimens:	2	Date Voucher Taken:	08/19/15
Herbaria Names (Smithsonian, Regional, Local):	NCU, JS		

SPECIALIST IDENTIFICATION

Identified by (name and organizational affiliation):	JACOB DAKAR		
Material Identified:	<u>In Field</u> From Pressed Specimen on Day of Collection From Pressed Specimen on Another Date From Photograph	Date Identified (MM/DD/YY):	08/19/15

PRE-COLLECTION CHECKLIST

This section is for your reference only and not required as part of the data collected by the SOS National Coordinating Office. The conditions indicated in **boldface** describe ideal population size and seed dispersal stage for seed collecting.

Assess Population & Seed Dispersal Stage				
Approximate area of population:	x	(feet, yards, miles.....)		
Approximate total number of individual plants present and accessible:	0-50	50-500	500-5000	> 5000
Evidence of disturbance or damage:	Resown	Burnt	Sprayed	No damage
Readiness of population for collecting: give percentages or circle the most frequently occurring:	Vegetative	In flower	Immature seeds	Around natural dispersal Post dispersal
Estimate the number of individual plants at natural dispersal stage:	<50	>50		
Is the population:	A single population A population with distinct sub-populations (Can you sample separately or from the most suitable?)			
Assess Seed Quality & Availability				
On a typical individual, where on the plant/branch/fruit is the seed at natural dispersal stage:	Recognized			
Using a cut test on the seeds at this stage, give percentages or circle the most frequently occurring:	Healthy	Insect-damaged	Empty	Moldy Malformed/other damage
Estimate the number of healthy seeds per fruit:				
Estimate the number of fruits per individual plant:				
Should Seed Be Collected On This Trip?				
Using the above information, if you only collect 20% of the healthy seeds available today, will this result in a collection of >10,000 healthy seeds?				