

SEEDS OF SUCCESS FIELD DATA FORM

Seed Collection Ref. Number:	NCBG - 331	Collector Code:	NCBG
Date(s) Collected (MM/DD/YY):	10/07/15	Collector Name(s):	MAGGIE HERATY & JAKE DAKAR
		Collection Number:	331
		Alt. Collection Number:	JD-127

COLLECTION DATA

Family:	VERBENAACEAE	No. of Plants Sampled (min. 50):	73
Genus:	CALICARPA	No. of Plants Found (approx.):	4000
Species:	AMERICANA	Area Sampled (acres):	1
Subspecies/Variety:		Seeds Collected From:	<input checked="" type="radio"/> Plants <input type="radio"/> Ground <input type="radio"/> Both <input type="radio"/> Unknown
Plant Habit:	Tree <input checked="" type="radio"/> Shrub <input type="radio"/> Forb <input type="radio"/> Succulent <input type="radio"/> Grass/Grasslike	Plant Height (feet):	6-9

Field Notes to assist in identification of pressed specimen (e.g. flower color):

Common Name(s) of Plants:	AMERICAN BEAUTY BERRY	NRCS PLANTS Code:	CAAM2
---------------------------	-----------------------	-------------------	-------

LOCATION DATA

Ecoregion (Omernik Level III):	63 - CALDARANTIC e.p.	State:	NC	County:	CAMDEN
Subunit (BLM area, park name, etc.):	DISMAL SWAMP STATE PARK	Area within Subunit (trail name, etc.):			
Land Owner:	NC STATE PARKS	Non-BLM Permission Filed:	<input checked="" type="radio"/> Y <input type="radio"/> N		

Location Details: FROM PARK OFFICE, FOLLOW CANAL ROAD. POPULATION LOCATED ON ROADSIDES BEFORE YOU REACH KIM SAUNDERS ROAD.

Source Used:	<input checked="" type="radio"/> GPS <input type="radio"/> Map <input type="radio"/> None	Accuracy:	<input checked="" type="radio"/> GPS <input type="radio"/> Within 5km <input type="radio"/> 6-20km <input type="radio"/> More than 20km
--------------	---	-----------	---

GPS Datum:	NAD83 <input type="radio"/> NAD27 <input type="radio"/> <input checked="" type="radio"/> WGS84 <input type="radio"/> Other:
------------	---

Latitude (dg/min/sec) (ex: 40° 34' 19.5" N):	36° 31' 49.5" N	Elevation:	27
Longitude (dg/min/sec) (ex: 107° 36' 51.54" W):	76° 22' 01.0" W	Unit (ft or m):	FT

HABITAT DATA

Associated Species (Scientific Name): PLATANUS OCCIDENTALIS, SMILAX ROTUNDFOLIA, PRUNUS SEROTINA, ASIMINA TRILOBA, QUERCUS sp., VITIS ROTUNDFOLIA

Ecological Site Description, Habitat Type and/or National Vegetation Classification: FOREST ROADSIDE

Modifying Factors:	Mowed <input type="checkbox"/> Burned <input type="checkbox"/> Grazed <input type="checkbox"/> Flooded <input type="checkbox"/> Seeded <input type="checkbox"/> Trampled <input type="checkbox"/> Other:
--------------------	--

Land Form:	ROADSIDE	Slope (degrees):	0-2°
------------	----------	------------------	------

Land Use:	CONSERVATION RECREATION	Aspect:	N NE E SE S SW W NW
Geology:	UDORTHENTS		
Soil Texture:	Clay Silt Sand Other: LOAM	Soil Color:	10 YR 5/2
HERBARIUM VOUCHERS			
Number of pressed specimens:	2	Date Voucher Taken:	10/07/15
Herbaria Names (Smithsonian, Regional, Local):	NCU, US		
SPECIALIST IDENTIFICATION			
Identified by (name and organizational affiliation):	JACE DAVAR, NCBG		
Material Identified:	<u>In Field</u> From Pressed Specimen on Day of Collection From Pressed Specimen on Another Date From Photograph	Date Identified (MM/DD/YY):	10/07/15

PRE-COLLECTION CHECKLIST

This section is for your reference only and not required as part of the data collected by the SOS National Coordinating Office. The conditions indicated in **boldface** describe ideal population size and seed dispersal stage for seed collecting.

Assess Population & Seed Dispersal Stage			
Approximate area of population:	x	(feet, yards, miles.....)	
Approximate total number of individual plants present and accessible:	0-50	50-500	500-5000 > 5000
Evidence of disturbance or damage:	Resown	Burnt	Sprayed No damage
Readiness of population for collecting: give percentages or circle the most frequently occurring:	<i>Vegetative</i>	<i>In flower</i>	<i>Immature seeds</i> Around natural dispersal <i>Post dispersal</i>
Estimate the number of individual plants at natural dispersal stage:	<50	>50	
Is the population:	<u>A single population</u> A population with distinct sub-populations (Can you sample separately or from the most suitable?)		
Assess Seed Quality & Availability			
On a typical individual, where on the plant/branch/fruit is the seed at natural dispersal stage:	Recognized		
Using a cut test on the seeds at this stage, give percentages or circle the most frequently occurring:	Healthy	Insect-damaged	Empty Moldy Malformed/other damage
Estimate the number of healthy seeds per fruit:			
Estimate the number of fruits per individual plant:			
Should Seed Be Collected On This Trip?			
Using the above information, if you only collect 20% of the healthy seeds available today, will this result in a collection of >10,000 healthy seeds?			